

### Section 1. Identification of the Substance/Mixture and the Company

<b>1.1 Product Identifier</b>	Product Name: Chromic Acid Solution Product Number: CHR	
<b>1.2 Intended use</b>	EN: Laboratory reagent. For professional use only. DA: Laboratoriereagens. Kun til professionelt brug. DE: Laboratoriumreagens. Alleen voor professioneel gebruik. EL: Αντιδραστήριο εργαστηρίου. Για επαγγελματική χρήση μόνο. ES: Reactivo de laboratorio. Sólo para uso profesional. FR: Réactif de laboratoire. Pour un usage professionnel uniquement. IT: Laboratorio di reagente. Solo per uso professionale. NL: Laboratoriumreagens. Alleen voor professioneel gebruik. PT: Reagente de laboratório. Para uso profissional. SV: Laboratoriereagens. Endast för yrkesmässig användning.	
<b>1.3 Details of the supplier of the safety data sheet</b>	<b>Manufacturer</b>	ScyTek Laboratories, Inc.
	<b>Address</b>	205 South 600 West Logan, Utah 84321 U.S.A.
	<b>Phone Number</b>	800-729-8350
	<b>Fax Number</b>	435-755-0015
	<b>e-mail</b>	msds@scytek.com
	<b>Website</b>	scytek.com

### Section 2. Hazards Identification

<b>2.1 Classification: Regulation (EC) No 1272/2008 (CLP)</b>	May cause allergy or asthma symptoms (Category 1) – H334 May cause genetic defects (Category 1B) – H340 May cause cancer (Category 1A) – H350 Suspected of damaging fertility (Category 2) – H361 May cause damage to organs through prolonged or repeated exposure (Category 2) – H373 Causes serious eye damage (Category 1) – H318 Harmful if swallowed (Category 4) – H302 Harmful if inhaled (Category 4) – H332 Causes skin irritation (Category 2), H315 May cause an allergic skin reaction (Category 1) – H317
<b>Classification: OSHA 29 CFR 1910.1200 HCS</b>	May cause allergy or asthma symptoms (Category 1) –H334 May cause genetic defects (Category 1B) – H340 May cause cancer (Category 1A) – H350 Suspected of damaging fertility (Category 2) – H361 May cause damage to organs through prolonged or repeated exposure (Category 2) – H373 Causes serious eye damage (Category 1) – H318 Harmful if swallowed (Category 4) – H302 Harmful if inhaled (Category 4) – H332 Causes skin irritation (Category 2), H315 May cause an allergic skin reaction (Category 1) – H317

**Classification:**  
**Directive 1999/45/EC**



**Xn, R35, R42/43**

EN: Harmful  
DA: Sundhedsskadelig  
DE: Gesundheitsschädlich  
EL: Επιβλαβές  
ES: Nocivo  
FR: Nocif  
IT: Nocivo  
NL: Schadelijk  
PT: Nocivo  
SV: Hälsoskadlig



**T, R45, R46, R24/25, R26, R48/23, R62**

EN: Toxic  
DA: Giftig  
DE: Giftig  
EL: Τοξικό  
ES: Tóxico  
FR: Toxique  
IT: Tossico  
NL: Vergiftig  
PT: Tóxico  
SV: Giftig



**N, R50/53**

EN: Dangerous for the environment  
DA: Miljøfarlig  
DE: Umweltgefährlich  
EL: Επικίνδυνο για το περιβάλλον  
ES: Peligroso para el medio ambiente  
FR: Dangereux pour l'environnement  
IT: Pericoloso per l'ambiente  
NL: Milieugevaarlijk  
PT: Perigoso para o ambiente  
SV: Miljöfarlig



**O:**

EN: Oxidizing  
DA: Brandnærende  
DE: Brandfördernd  
EL: Οξειδωτικό  
ES: Comburente  
FR: Comburant  
IT: Comburente  
NL: Oxyderend  
PT: Comburente  
SV: Oxiderande



**C**  
 EN: Corrosive  
 DA: Ætsende  
 DE: Ätzend  
 EL: Διαβρωτικό  
 ES: Corrosivo  
 FR: Corrosif  
 IT: Corrosivo  
 NL: Bijtend  
 PT: Corrosivo  
 SV: Frätande

For full text of R- & S- phrases: see Section 15.

**2.2 Label Elements**



Pictogram(s):

Signal word: Danger

Hazard Statement(s):

- H340 – May cause genetic defects
- H350 – May cause cancer
- H361 – Suspected of damaging fertility or the unborn child
- H318 – Causes serious eye damage
- H302 – Harmful if swallowed
- H332 – Harmful if inhaled
- H315 – Causes skin irritation

Hazard Statement(s) not listed on the label:


- H317 – May cause an allergic skin reaction
- H410 – Very toxic to aquatic life with long lasting effects.
- H373 – May cause damage to organs through prolonged or repeated exposure

Precautionary Statements(s):

- P202 – Do not handle until all safety precautions [and hazard statements] have been read and understood.

Precautionary statement(s) not listed on label:

- P280 – Wear protective gloves/protective clothing/eye protection/face protection.
- P362 – Take off contaminated clothing and wash before reuse
- P308 + P313 – IF exposed or concerned: Get medical advice/attention.
- P260 – Do not breathe dust/fume/gas/mist/vapours/spray.
- P314 – Get medical advice/attention if you feel unwell.
- P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER or doctor/physician.
- P264 – Wash skin thoroughly after handling.
- P270 – Do not eat, drink or smoke when using this product.
- P301 + P312 – IF SWALLOWED: call a POISON CENTER or doctor/physician IF you feel unwell.
- P302 + P352 – IF ON SKIN: wash with plenty of soap and water.
- P332 + P313 – IF SKIN irritation occurs: Get medical advice/attention.
- P333 + P313 – IF SKIN irritation or rash occurs: Get medical advice/attention.
- P363 – Wash contaminated clothing before reuse.







<b>NFPA</b> Scale: 0-4			
<b>HMIS (U.S.A.)</b> Scale: 0-4	HEALTH	2	
	FLAMMABILITY	0	
	PHYSICAL HAZARD	0	
	PERSONAL PROTECTION	D	
<b>2.3 Other Hazards</b>	<b>PBT:</b> This mixture does not contain any substances that are assessed to be a PBT. <b>vPvB:</b> This mixture does not contain any substances that are assessed to be a vPvB.		

### Section 3. Composition and Information on Ingredients

#### 3.2 Chemical Description: Mixture

\*May contain additional non-hazardous proprietary ingredients.

\*May contain additional active ingredients at concentrations <0.1%w/v.

Hazardous Ingredients:	CAS#	EC#	GHS Symbols	%
Chromium(VI) oxide	1333-82-0	215-607-8	 Danger. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. 1A H340 May cause genetic defects. 1A H350 May cause cancer. 2 H361 Suspected of damaging fertility or the unborn child. 1 H372 Causes damage to organs through prolonged or repeated exposure.  Danger. 3 H301 Toxic if swallowed. 3 H311 Toxic in contact with skin. 1,2 H330 Fatal if inhaled.  Warning. 2. H410 Very toxic to aquatic life with long lasting effects.  Danger. 1. H271 May cause fire or explosion; strong oxidizer.  Danger. 1A H314 Causes severe skin burns and eye damage.  Warning. 1 H317 May cause an allergic skin reaction.	≤ 10

### Section 4. First Aid Measures

**4.1 Description of first aid measures**

**Eye Contact:** Check for and remove contact lenses. Immediately flush eyes with copious amounts of water and get immediate medical attention.

**Skin Contact:** Remove contaminated clothing and wash contact area with mild soap and copious amounts of water and get immediate medical attention.

**Inhalation:** If inhaled, remove person to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention if symptoms worsen.

**Ingestion:** Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as collar, tie, belt or waistband. Get immediate medical attention.

**4.2 Most important symptoms and effects, both acute and delayed**

See section 2.2 and 11.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data available

### Section 5. Fire Fighting Measures

<b>5.1 Extinguishing Media</b>	Extinguish fire using water spray, carbon dioxide, chemical foam, or dry chemical.
<b>5.2 Special hazards arising from the substance or mixture</b>	No unusual fire or explosion hazards expected.
<b>5.3 Advice for firefighters</b>	As with any fire, wear personal protection equipment, including a self-contained breathing apparatus (S.C.B.A.)

### Section 6. Accidental Release Measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear chemical resistant clothing, gloves, and eye protection. Wear NIOSH/MSHA approved breathing apparatus.

**6.2 Environmental precautions**

Keep material away from heat, flame, ignition sources, and reactive materials. Don't allow product to enter drain.

**6.3 Methods and materials for containment and cleaning up**

Wipe up or absorb spill using inert absorbent and place in a suitable waste container for disposal.

### Section 7. Handling and Storage

**7.1 Precautions for safe handling.**

Avoid contact with skin and eyes.

Wash thoroughly after handling.

Avoid breathing vapor.

**7.2 Conditions for safe storage, including any incompatibilities.**

Store in well ventilated area.

Keep container tightly closed.

Store at 15-30°C.

**7.3 Specific end use(s).**

See section 1.2

### Section 8. Exposure Controls / Personal Protection

<b>8.1 Control parameters</b>	<p><b>Exposure Limits:</b> Chromium trioxide <b>ACGIH:</b> 0.05 mg/m<sup>3</sup> TWA (as Cr) (listed under Chromium (VI) compounds-water soluble) <b>NIOSH:</b> 0.001 mg/m<sup>3</sup> TWA (as Cr) 15 mg/m<sup>3</sup> IDLH (as Cr (VI))</p>
-------------------------------	--

	OSHA: none listed
<b>8.2 Exposure controls</b>	<p><b>Personal Protective Equipment (PPE):</b></p> <p><b>Eye/Face protection.</b> Safety glasses or goggles are required.</p> <p><b>Skin protection.</b> Protective clothing is required.</p> <p><b>Hand protection.</b> Chemical resistant gloves are required. Glove material must be resistant to the components of this product. Consult glove manufacturer for specific recommendations of appropriate material and thickness of glove.</p> <p><b>Respiratory protection.</b> Avoid breathing vapor.</p> <p><b>Environmental exposure controls.</b> Avoid releasing large quantities into the environment. No additional information.</p>
<b>Engineering Controls</b>	Working area should be adequately large and well ventilated to prevent concentration of vapors. Provide mechanical exhaust ventilation or other engineering controls to keep airborne concentrations of vapors below their respective threshold limits.

### Section 9. Physical and Chemical Properties

<b>Physical State</b>	Liquid
<b>Color</b>	Transparent Red
<b>Odor</b>	Odorless
<b>Odor Threshold</b>	Unknown
<b>pH</b>	Acidic
<b>Melting Point/ Freezing Point</b>	Unknown
<b>Initial Boiling Point</b>	Unknown
<b>Flash Point</b>	Unknown
<b>Evaporation Rate</b>	Unknown
<b>Flammability (solid, gas)</b>	Unknown
<b>Upper/Lower Flammability Limits</b>	Unknown
<b>Vapor Pressure</b>	Unknown
<b>Vapor Density</b>	Unknown
<b>Relative Density</b>	Unknown
<b>Solubility(ies)</b>	Water
<b>Partition Coefficient: n-octanol/water</b>	Unknown
<b>Auto-ignition Temperature</b>	Unknown
<b>Decomposition Temperature</b>	Unknown
<b>Viscosity</b>	Unknown
<b>Explosive Properties</b>	Not explosive.
<b>Oxidizing Properties</b>	Oxidizing Solution

### Section 10. Stability and Reactivity

<b>10.1 Reactivity</b>	No relevant data available.
<b>10.2 Chemical Stability</b>	Stable under normal temperatures and pressures.

<b>10.3 Possibility of Hazardous Reactions</b>	No hazardous reactions known.
<b>10.4 Conditions to Avoid</b>	Fire, static electricity, direct sunlight.
<b>10.5 Incompatible Materials</b>	Lithium, glycerol, oxidizing agents and any combustible material, reducing agents, acetic acid, Dimethyl formamide, acetone, methanol, ethanol, pyridine, camphor, ethanol, turpentine.
<b>10.6 Hazardous Decomposition Materials</b>	Chromic oxides

### Section 11. Toxicological Information

<b>11.1 Information on Toxicological Effects.</b>	<p><b>Acute Toxicity.</b>  <b>Chromium Trioxide:</b>  <u>LD50/LC50:</u>            CAS# 7732-18-5:              Oral, rat: LD50 = &gt;90 mL/kg.            CAS# 1333-82-0:              Oral, mouse: LD50 = 127 mg/kg              Oral, rat: LD50 = 80 mg/kg.</p> <p><b>Skin Corrosion/Irritation.</b>            Irritating to skin and mucous membranes. Skin absorption may affect kidneys. Large amounts may cause kidney failure.</p> <p><b>Serious Eye Damage/Irritation.</b>            Corrosive to eye. Prolonged exposure will cause blindness.</p> <p><b>Respiratory or skin sensitization.</b>            No relevant data available.</p> <p><b>Germ Cell Mutagenicity.</b>            No relevant data available.</p>
<b>Carcinogenicity.</b>	<p><b>International Agency for Research on Cancer (IARC).</b>            CAS # 1333-82-0            ACGIH: A1 - Confirmed Human Carcinogen (listed as 'Chromium (VI) compounds - water soluble')            California: carcinogen, initial date 2/27/87 (listed as 'Chromium (VI) compounds').  <b>National Toxicology Program (NTP).</b>            Known Carcinogen</p>

### Section 12. Ecological Information


<b>12.1 Toxicity</b>	<p><b>Fish:</b> No relevant studies identified.  <b>Crustacea:</b> No relevant studies identified.  <b>Algae/Aquatic Plants:</b> No relevant studies identified.  <b>Other Organisms:</b> No relevant studies identified.</p>
<b>12.2 Persistence and Degradability.</b>	No relevant studies identified.
<b>12.3 Bioaccumulative Potential.</b>	No relevant studies identified.
<b>12.4 Mobility in Soil.</b>	Miscible in water. May spread in water systems. This component is non-volatile.
<b>Additional Remarks</b>	None.
<b>12.5 Results of PBT and vPvB Assessment.</b>	<p><b>PBT:</b> This mixture does not contain any substances that are assessed to be a PBT.  <b>vPvB:</b> This mixture does not contain any substances that are assessed to be a vPvB.</p>

### Section 13. Disposal Considerations

<b>13.1 Waste Disposal Methods.</b>	Waste should not be disposed of by release to sewers. Dispose waste in accordance with federal, state and local environmental control regulations.
-------------------------------------	--

<b>Product/Packaging Disposal.</b>	Final decisions on the appropriate waste management method must be in line with local, regional and national regulations.
<b>Other Disposal Recommendations.</b>	No relevant data available.

### Section 14. Transport Information

<b>14.1 UN Number DOT, IATA,IMDG, ADR</b>	DOT: 1755 ADR/RID: 1755 IMDG: 1755 IATA: 1755
<b>14.2 UN Proper Shipping Name DOT, IATA,IMDG, ADR</b>	ADR/RID: Chromic acid solution IMDG: Chromic acid solution IATA: Chromic acid solution DOT: Chromic acid solution
<b>14.3 Transport Hazard Class(es)</b>	<b>DOT: 8 IATA: 8 IMDG: 8 ADR/RID: 8</b> 
<b>14.4 Packing Group DOT, IATA,IMDG, ADR</b>	ADR/RID: II IMDG: II IATA: II DOT: II
<b>14.5 Environmental Hazards</b>	<b>Marine Pollutant:</b> No
<b>14.6 Special Precautions for User</b>	Not applicable.

### Section 15. Regulatory Information

<b>15.1 Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture.</b>	
<b>Extremely Hazardous Substances; Section 355</b>	None of the components in this mixture are listed.
<b>Toxic Substances Control Act; TSCA</b>	All of the components in this mixture are listed.
<b>California Proposition 65</b>	This product contains a chemical known to the state of California to cause cancer. Chromium trioxide CAS 1333-82-0
<b>Right To Know Components</b>	Massachusetts: Chromium trioxide CAS 1333-82-0 Pennsylvania: Chromium trioxide CAS 1333-82-0 New Jersey: Chromium trioxide CAS 1333-82-0
<b>15.2 Chemical Safety Assessment</b>	No Chemical Safety Assessment has been carried out for this substance/mixture by ScyTek Laboratories, Inc.
<b>R phrases</b>	<b>R24/25</b> EN: Toxic in contact with skin and if swallowed. DA: Giftig ved hudkontakt og ved indtagelse. DE: Giftig bei Berührung mit der Haut und beim Verschlucken.



EL: Τοξικό σε επαφή με το δέρμα και σε περίπτωση καταπόσεως.  
 ES: Tóxico en contacto con la piel y por ingestión.  
 FR: Toxique par contact avec la peau et par ingestion.  
 IT: Tossico a contatto con la pelle e per ingestione.  
 NL: Vergiftig bij aanraking met de huid en bij opname door de mond.  
 PT: Tóxico em contacto com a pele e por ingestão.  
 SV: Giftigt vid hudkontakt och förtäring.

**R26**

EN: Very toxic by inhalation.  
 DA: Meget giftig ved indånding.  
 DE: Sehr giftig beim Einatmen.  
 EL: Πολύ τοξικό όταν εισπνέεται.  
 ES: Muy tóxico por inhalación.  
 FR: Très toxique par inhalation.  
 IT: Molto tossico per inalazione.  
 NL: Zeer vergiftig bij inademing.  
 PT: Muito tóxico por inalação.  
 SV: Mycket giftigt vid inandning.

**R35**

EN: Causes severe burns.  
 DA: Alvorlig ætsningsfare.  
 DE: Verursacht schwere Verätzungen.  
 EL: Προκαλεί σοβαρά εγκαύματα.  
 ES: Provoca quemaduras graves.  
 FR: Provoque de graves brulures.  
 IT: Provoca gravi ustioni.  
 NL: Veroorzaakt ernstige brandwonden.  
 PT: Provoca queimaduras graves.  
 SV: Starkt frätande.

**R42/43**

EN: May cause sensitization by inhalation and skin contact.  
 DA: Kan give overfølsomhed ved indånding og ved kontakt med huden.  
 DE: Sensibilisierung durch Einatmen und Hautkontakt möglich.  
 EL: Μπορεί να προκαλέσει ευαισθητοποίηση όταν εισπνέεται και σε επαφή με το δέρμα.  
 ES: Posibilidad de sensibilización por inhalación y por contacto con la piel.  
 FR: Peut entraîner une sensibilisation par inhalation et par contact avec la peau.  
 IT: Può provocare sensibilizzazione per inalazione e contatto con la pelle.  
 NL: Kan overgevoeligheid veroorzaken bij inademing of contact met de huid.  
 PT: Pode causar sensibilização por inalação e em contacto com a pele.  
 SV: Kan ge allergi vid inandning och hudkontakt.

**R45**

EN: May cause cancer.  
 DA: Kan fremkalde kræft.  
 DE: Kann Krebs erzeugen.  
 FR: Peut provoquer le cancer.  
 IT: Può provocare il cancro.  
 ES: Puede causar cáncer.  
 FR: Risque de lésions oculaires graves.  
 IT: Rischio di gravi lesioni oculari.  
 NL: Gevaar voor ernstig oogletsel.  
 PT: Risco de lesões oculares graves.  
 SV: Risk för allvarliga ögonskador.

**R46**

EN: May cause heritable genetic damage.  
 DA: Kan forårsage arvelige genetiske skader.  
 DE: Kann vererbare Schäden verursachen.  
 FR: Peut provoquer des altérations génétiques héréditaires.  
 IT: Può provocare alterazioni genetiche ereditarie.

	<p>ES: Puede causar alteraciones genéticas hereditarias.  FR: Peut provoquer des altérations génétiques héréditaires.  IT: Può provocare alterazioni genetiche ereditarie.  NL: Kan erfelijke genetische schade veroorzaken.  PT: Pode causar alterações genéticas hereditárias.  SV: Kan ge ärftliga genetiska skador.</p> <p><b>R48/23</b>  EN: Toxic: danger of serious damage to health by prolonged exposure through inhalation.  DA: Giftig: alvorlig sundhedsfare ved længere tids påvirkning ved indånding.  DE: Giftig: Gefahr ernster Gesundheitsschäden bei längerer Exposition durch Einatmen.  EL: Τοξικό: κίνδυνος σοβαρής βλάβης της υγείας ύστερα από παρατεταμένη έκθεση όταν εισπνέεται.  ES: Tóxico: riesgo de efectos graves para la salud en caso de exposición prolongada por inhalación.  FR: Toxique: risque d'effets graves pour la santé en cas d'exposition prolongée par inhalation.  IT: Tossico: pericolo di gravi danni alla salute in caso di esposizione prolungata per inalazione.  NL: Vergiftig: gevaar voor ernstige schade aan de gezondheid bij langdurige blootstelling bij inademing.  PT: Tóxico: risco de efeitos graves para a saúde em caso de exposição prolongada por inalação.  SV: Giftigt: risk för allvarliga hälsoskador vid långvarig exponering genom inandning.</p> <p><b>R50/53</b>  EN: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  DA: Meget giftig for organismer, der lever i vand; kan forårsage uønskede langtidsvirkninger i vandmiljøet.  DE: Sehr giftig für Wasserorganismen, kann in Gewässern längerfristig schädliche Wirkungen haben.  EL: Πολύ τοξικό για τους υδρόβιους οργανισμούς, μπορεί να προκαλέσει μακροχρόνιες δυσμενείς επιπτώσεις στο υδάτινο περιβάλλον.  ES: Muy tóxico para los organismos acuáticos, puede provocar a largo plazo efectos negativos en el medio ambiente acuático.  FR: Très toxique pour les organismes aquatiques, peut entraîner des effets néfastes a long terme pour l'environnement aquatique.  IT: Altamente tossico per gli organismi acquatici, può provocare a lungo termine effetti negativi per l'ambiente acquatico.  NL: Zeer vergiftig voor in het water levende organismen; kan in het aquatisch milieu op lange termijn schadelijke effecten veroorzaken.  PT: Muito tóxico para os organismos aquáticos, podendo causar efeitos nefastos a longo prazo no ambiente aquático.  SV: Mycket giftigt för vattenlevande organismer, kan orsaka skadliga långtidseffekter i vattenmiljön.</p> <p><b>R62</b>  EN: Possible risk of impaired fertility.  DA: Mulighed for skade på forplantningsevnen.  DE: Kann möglicherweise die Fortpflanzungsfähigkeit beeinträchtigen.  EL: Πιθανός κίνδυνος για εξασθένηση της γονιμότητας.  ES: Posible riesgo de perjudicar la fertilidad.  FR: Risque possible d'altération de la fertilité.  IT: Possibile rischio di ridotta fertilità.  NL: Mogelijk gevaar voor verminderde vruchtbaarheid.  PT: Possíveis riscos de comprometer a fertilidade.  SV: Möjlig risk för nedsatt fortplantningsförmåga.</p>
<p><b>S phrases</b></p>	<p><b>S1/2</b>  EN: Keep locked up and out of the reach of children.  DA: Opbevares under lås og utilgængeligt for børn.  DE: Unter Verschluss und für Kinder unzugänglich aufbewahren.  EL: Φυλάξτε το κλειδωμένο και μακριά από παιδιά.  ES: Conservarse bajo llave y manténgase fuera del alcance de los niños.  FR: Conserver sous clef et hors de portee des enfants.  IT: Conservare sotto chiave e fuori della portata dei bambini.  NL: Achter slot en buiten bereik van kinderen bewaren.  PT: Guardar fechado à chave e fora do alcance das crianças.  SV: Förvaras i låst utrymme och oåtkomligt för barn.</p>

**S53**

EN: Avoid exposure — obtain special instructions before use.  
 DA: Undgå enhver kontakt — indhent særlige anvisninger før brug.  
 DE: Exposition vermeiden — vor Gebrauch besondere Anweisungen einholen.  
 EL: Αποφεύγετε την έκθεση — εφοδιαστείτε με τις ειδικές οδηγίες πριν από τη χρήση.  
 ES: Evítese la exposición — recábense instrucciones especiales antes del uso.  
 FR: Éviter l'exposition — se procurer des instructions spéciales avant l'utilisation.  
 IT: Evitare l'esposizione — procurarsi speciali istruzioni prima dell'uso.  
 NL: Blootstelling vermijden — vóór gebruik speciale aanwijzingen raadplegen.  
 PT: Evitar a exposição — obter instruções específicas antes da utilização.  
 SV: Undvik exponering — Begär specialinstruktioner före användning.

**S45**

EN: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).  
 DA: Ved ulykkestilfælde eller ved ildebefindende er omgående lægebehandling nødvendig; vis etiketten, hvis det er muligt.  
 DE: Bei Unfall oder Unwohlsein sofort Arzt zuziehen (wenn möglich, dieses Etikett vorzeigen).  
 EL: Σε περίπτωση ατυχήματος ή αν αισθανθείτε αδιαθεσία ζητήστε αμέσως ιατρική συμβουλή (δείξτε την ετικέτα αν είναι δυνατό).  
 ES: En caso de accidente o malestar, acúdase inmediatamente al médico (si es posible, muéstresele la etiqueta).  
 FR: En cas d'accident ou de malaise, consulter immédiatement un medecin (si possible lui montrer l'étiquette).  
 IT: In caso di incidente o di malessere consultare immediatamente il medico (se possibile, mostrargli l'etichetta).  
 NL: Bij een ongeval of indien men zich onwel voelt, onmiddellijk een arts raadplegen (indien mogelijk hem dit etiket tonen).  
 PT: Em caso de acidente ou de indisposição, consultar imediatamente o médico (se possível mostrar-lhe o rótulo).  
 SV: Vid olycksfall, illamående eller annan påverkan, kontakta omedelbart läkare. Visa om möjligt etiketten.

**S60**

EN: This material and its container must be disposed of as hazardous waste.  
 DA: Undgå udledning til miljøet. Se særlig vejledning/leverandørbrugsanvisning.  
 DE: Dieses Produkt und sein Behälter sind als gefährlicher Abfall zu entsorgen.  
 EL: Αποφύγετε την ελευθέρωσή του στο περιβάλλον. Αναφερθείτε σε ειδικές οδηγίες/.ελτίο δεδομένων ασφαλείας.  
 ES: Elimínense el producto y su recipiente como residuos peligrosos.  
 FR: Éliminer le produit et son récipient comme un déchet dangereux.  
 IT: Questo materiale e il suo contenitore devono essere smaltiti come rifiuti pericolosi.  
 NL: Deze stof en de verpakking als gevaarlijk afval afvoeren.  
 PT: Este produto e o seu recipiente devem ser eliminados como resíduos perigosos.  
 SV: Detta material och dess behållare skall tas om hand som farligt avfall.

**S61**

EN: Avoid release to the environment. Refer to special instructions/Safety data sheets.  
 DA: Undgå udledning til miljøet. Se særlig vejledning/leverandørbrugsanvisning.  
 DE: Freisetzung in die Umwelt vermeiden. Besondere Anweisungen einholen/Sicherheitsdatenblatt zu Rate ziehen.  
 EL: Αποφύγετε την ελευθέρωσή του στο περιβάλλον. Αναφερθείτε σε ειδικές οδηγίες/.ελτίο δεδομένων ασφαλείας.  
 ES: Evítese su liberación al medio ambiente. Recábense instrucciones específicas de la ficha de datos de seguridad.  
 FR: Éviter le rejet dans l'environnement. Consulter les instructions spéciales/la fiche de données de sécurité.  
 IT: Non disperdere nell'ambiente. Riferirsi alle istruzioni speciali/ schede informative in materia di sicurezza.  
 NL: Voorkom lozing in het milieu. Vraag om speciale instructies/veiligheidskaart.  
 PT: Evitar a libertação para o ambiente. Obter instruções específicas/fichas de segurança.  
 SV: Undvik utsläpp till miljön. Läs särskilda instruktioner/varuinformationsblad.



Safety Data Sheet

**CHR-SDS**

Rev. Date: June 18, 2014

Revision: 2

Page 12 of 12

P.O. Box 3286 - Logan, Utah 84323, U.S.A. - Tel. (800) 729-8350 – Tel. (435) 755-9848 - Fax (435) 755-0015 - [www.scytek.com](http://www.scytek.com)

## Section 16. Other Information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. ScyTek Laboratories shall not be held liable for any damage resulting from handling or from contact with the above product.